




1614  
#  
M.M.  
6/18/01

Patent Application  
Attorney Docket No. 10370ARTB

I hereby certify that this correspondence is being deposited with the United States Postal Service as first-class mail in an envelope addressed to: Hon. Commissioner for Patents, Washington, D.C. 20231 on this 5th day of June, 2001.

By \_\_\_\_\_

  
(Signature of person mailing)

Donna McLaughlin

(Typed or printed name of person)

TECH CENTER 1600/2900

JUN 08 2001

RECEIVED

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:

**GHAZWAN SALEEM BUTROUS, ET AL**

APPLICATION NO.: **09/692,807**

: Examiner: Not Yet Assigned

FILING DATE: **OCTOBER 20, 2000**

: Group Art Unit: 1614

TITLE: **TREATMENT OF PULMONARY  
HYPERTENSION**

Hon. Commissioner for Patents  
Washington, D.C. 20231

Sir:


SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT  
PURSUANT TO 37 C.F.R. § 1.97 ET SEQ.

Applicant herein makes available to the U.S. Patent and Trademark Office a copy of PTO-FB-A820 which lists the references cited by the applicant, copies of which are enclosed.

Applicant herein certifies under 37 C.F.R. 1.97 (e) (1) that each item of information contained in the information disclosure statement was cited in a communication from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of the information disclosure statement.

It is requested that the references listed on the attached form PTO-FB-A820 be included in the "References Cited" portion of any patent issuing from this application (M.P.E.P. § 1302.12).

Please charge any fees due to Deposit Account No.: 16-1445.



Patent Application  
Attorney Docket No. 10370ARTB

A prompt and favorable response is earnestly solicited.

Date:

June 5, 2001

Respectfully submitted,

Robert T. Barker

Robert T. Barker  
Attorney for Applicant(s)  
Reg. No. 41,597

Pfizer Inc.  
Patent Department, MS 4159  
Eastern Point Road  
Groton, Connecticut 06340  
(860) 715-6067

RECEIVED

JUN 08 2001

TECH CENTER 1600/2900